



Catalpa xerubescens 'Purpurea'



Høyde	10 - 12 (15) m
Bredde	6-10m
Krone	wide pyramidal, later ovoid to round, half-open crown
Bark og grener	grey, shallow fissured
Blad	heart-shaped, purplish-red, later dark green, 13 - 18 cm
Blomster	white, in large erect panicles, July/August (September)
Frukt	thin capsules, to 35 cm long
Torner	Ingen
Giftighet	vanligvis ikke giftig for mennesker, (store) kjæledyr og husdyr
Jordtype	few requirements, not in wet soils
Belegning	tåler ingen belegning
Vinterhardhetssone	6a (-23,3 til -20,6 °C)
Vindmotstand	moderate to poor
Andre motstander	motstandsdyktig mot frost (WH 1 - 6)
Faunatre	motstandsdyktig mot frost (WH 1 - 6), verdifull for bier (honningplante)
Form	klarestamme tre, flerstammet tre
Opprinnelse	A. Waterer, England, before 1886

Et mellomstort tre med en halvåpen krone som først er pyramideformet, men som senere blir eggformet til rund. Kvistenes harde treverk er sprøtt. De spisse og helt glattkantede bladene kommer sent på våren og er mørk purpurrøde til nesten svarte. Unge kvister er også mørke i fargen. Om sommeren blir bladene mørkegrønne, de er litt mindre enn hos *C. erubescens* og faller av relativt tidlig. De hvite, klokkeformede blomstene er mindre enn hos *C. bignonioides* og sitter i 25-35 cm lange, oppreiste klaser. Innvendig er blomstene gule med små brune prikker. De etterfølges av lange, belgformede frukter som ikke er mer enn 1 cm tykke. Disse forblir på treet om vinteren.